PAIN

Pain 106 (2003) 527–529

www.elsevier.com/locate/pain

Contents to Volume 106 (2003)

Numbers 1,2 – November 2003

EDITORIAL

Communal coping model of catastrophizing: conceptual model building
B.E. Thorn, L.C. Ward, M.J.L. Sullivan, J.L. Boothby (USA) 1

TOPICAL REVIEW

Is noradrenaline a significant factor in the analgesic effect of antidepressants?
L. Jasmin, D. Tien, G. Janni, P.T. Ohara (USA) 3

RESEARCH PAPERS

Gender and laterality differences in thermosensation throughout the perceptible range
E. Sarlani, N. Farooq, J.D. Greenspan (USA) 9
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury
N.D. Giardino, M.P. Jensen, J.A. Turner, D.M. Ehde, D.D. Cardenas (USA) 19
Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being
J.K. Cremeans-Smith, M.A.P. Stephens, M.M. Franks, L.M. Martire, J.A. Druley, W.C. Wojno (USA) 27
Development of a metric for a day of manageable pain control: derivation of pain severity cut-points for low back pain and osteoarthritis
D.C. Zelman, D.L. Hoffman, R. Seifeldin, E.M. Dukes (USA) 35
Altered dopamine D2 receptor binding in atypical facial pain
N. Hagelberg, H. Forssell, S. Aalto, J.O. Rinne, H. Scheinin, T. Taiminen, K. Någren, O. Eskola, S.K. Jääskeläinen (Finland) 43
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal
M.S. Angst, W. Koppert, I. Pahl, D.J. Clark, M. Schmelz (USA, Germany) 49
Topical treatment of chronic low back pain with a capsicum plaster
H. Frerick, W. Keitel, U. Kuhn, S. Schmidt, A. Bredehorst, M. Kuhlmann (Austria, Germany) 59
Acceptance of pain is an independent predictor of mental well-being in patients with chronic pain: empirical evidence and reappraisal
I. Viane, G. Crombez, C. Eccleston, C. Poppe, J. Devulder, B. Van Houdenhove, W. De Corte (Belgium, UK) 65
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects
L.S. Chesterton, N.E. Foster, C.C. Wright, G.D. Baxter, P. Barlas (UK) 73
Factors associated with the onset and remission of chronic daily headache in a population-based study
A.I. Scher, W.F. Stewart, J.A. Ricci, R.B. Lipton (USA) 81
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans
W. Koppert, M. Angst, M. Alsheimer, R. Sittl, S. Albrecht, J. Schüttler, M. Schmelz (Germany, USA) 91
Effects of odors on pain perception: deciphering the roles of emotion and attention
C. Villemure, B.M. Slotnick, M.C. Bushnell (Canada, USA) 101
Emotion induction moderates effects of anger management style on acute pain sensitivity
J.W. Burns, A. Kubilus, S. Bruehl (USA) 109
The effect of opioid analgesia on exercise test performance in chronic low back pain
S. Rashiq, M. Koller, M. Haykowsky, K. Jamieson (Canada) 119
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample
L.A. McWilliams, B.J. Cox, M.W. Enns (Canada) 127
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain
W. Wang, S.-X. Wu, Y.-Y. Wang, X.-Y. Liu, Y.-Q. Li (People's Republic of China) 135
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation
Y.-G. Sun, X.-L. Gu, T. Lundeberg, L.-C. Yu (China, Sweden) 143
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study
T. Meier, G. Wasner, M. Faust, T. Kuntzer, F. Ochsner, M. Hueppe, J. Bogousslavsky, R. Baron (Germany, Switzerland) 151
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord
D.A. Skyba, R. Radhakrishnan, J.J. Rohlwing, A. Wright, K.A. Sluka (USA, Australia) 159
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in postoperative pain
D.J. Buggy, L. Toogood, S. Maric, P. Sharpe, D.G. Lambert, D.J. Rowbotham (UK, Ireland) 169
Contribution of spinal glutamatergic mechanisms in heterosegmental antinociception induced by noxious stimulation
C.H. Tambeli, A. Young, J.D. Levine, R.W. Gear (USA, Brazil) 173
Sweet taste and blood pressure-related analgesia
M.D. Lewkowski, B. Ditto, M. Roussos, S.N. Young (Canada) 181

doi:10.1016/S0304-3959(03)00451-2

Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury
B. Zhang, F. Tao, W.-J. Liaw, D.S. Bredt, R.A. Johns, Y.-X. Tao (USA, China, Taiwan, ROC) 187
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices
H. Ikeda, K. Kusudo, P.-D. Ryu, K. Murase (Japan, South Korea) 197

LETTERS TO THE EDITOR

Questions concerning the incidence and prevalence of Complex Regional Pain Syndrome Type I (RSD)
G.J. Bennett, R.N. Harden (Canada, USA) 209
Authors' reply to the comments of Bennett and Harden concerning the epidemiologic study of CRPS I in Olmsted County
P. Sandroni, L.M. Benrud-Larson, R.L. McClelland, P.A. Low (USA) 210

Number 3 – December 2003

EDITORIAL

Numbers need to care
H. McQuay (USA) 213

TOPICAL REVIEW

Neurons involved in the exteroceptive function of pain
D.D. Price, J.D. Greenspan, R. Dubner (USA) 215

RESEARCH PAPERS

Epidemiology of chronic non-malignant pain in Denmark
J. Eriksen, M.K. Jensen, P. Sjøgren, O. Ekholm, N.K. Rasmussen (Denmark) 221
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1
K.A. Sluka, M.P. Price, N.M. Breese, C.L. Stucky, J.A. Wemmie, M.J. Welsh (USA) 229
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro
K.S. Vikman, R.H. Hill, E. Backström, B. Robertson, K. Kristensson (Sweden) 241
Changes in temporomandibular pain and other symptoms across the menstrual cycle
L. LeResche, L. Mancl, J.J. Sherman, B. Gandara, S.F. Dworkin (USA) 253
Can complex regional pain syndrome be painless?
E. Eisenberg, E. Melamed (Israel) 263
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats
C. Watanabe, T. Sakurada, K. Okuda, C. Sakurada, R. Ando, S. Sakurada (Japan) 269
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women
M. al'Absi, K.L. Petersen (USA) 285
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain
S.A. Mousa, C.P. Bopaiah, C. Stein, M. Schäfer (Germany) 297
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients
D. Fitzgibbon, D. Morgan, D. Dockter, C. Barry, E.D. Kharasch (USA) 309
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction
S. Bruehl, O.Y. Chung, J.W. Burns, S. Biridepalli (USA) 317
Genotype-dependence of gabapentin and pregabalin sensitivity: the pharmacogenetic mediation of analgesia is specific to the type of pain being inhibited
E.J. Chesler, J. Ritchie, A. Kokayeff, W.R. Lariviere, S.G. Wilson, J.S. Mogil (USA, Canada) 325
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations
D.C. Turk, R.H. Dworkin, R.R. Allen, N. Bellamy, N. Brandenburg, D.B. Carr, C. Cleeland, R. Dionne, J.T. Farrar, B.S. Galer, D.J. Hewitt, A.R. Jadad, N.P. Katz, L.D. Kramer, D.C. Manning, C.G. McCormick, M.P. McDermott, P. McGrath, S. Quessy, B.A. Rappaport, J.P. Robinson, M.A. Royal, L. Simon, J.W. Stauffer, W. Stein, J. Tollett, J. Witter (USA, Australia, Canada) 337
Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain
C.E. Urch, T. Donovan-Rodriguez, A.H. Dickenson (UK) 347
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ)
W.C. Clark, J.P. Kuhl, M.L. Keohan, H. Knotkova, R.T. Winer, G.A. Griswold (USA) 357
Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown
T.L. Jones, S.M. Sweitzer, S.P. Wilson, D.C. Yeomans (USA) 365
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors
J.J. Azkue, X.-G. Liu, M. Zimmermann, J. Sandkühler (Spain, Germany) 373
Pharmacogenetic analysis of sex differences in opioid antinociception in rats
J.M. Terner, L.M. Lomas, E.S. Smith, A.C. Barrett, M.J. Picker (USA) 381
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study
R.N. Harden, S. Bruehl, S. Stanos, V. Brander, O.Y. Chung, S. Saltz, A. Adams, S.D. Stulberg (USA) 393
The placebo needle, is it a valid and convincing placebo for use in acupuncture trials? A randomised, single-blind, cross-over pilot trial
P. White, G. Lewith, V. Hopwood, P. Prescott (UK) 401

Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation
D. Yang, R.W. Gereau IV (USA) 411
Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex
R.R. Edwards, D.M. Doleys, D. Lowery, R.B. Fillingim (USA) 419
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables
R.R. Edwards, T.J. Ness, D.A. Weigent, R.B. Fillingim (USA) 427
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain
M.S. Cepeda, J.M. Africano, R. Polo, R. Alcala, D.B. Carr (Columbia, USA) 439
The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin
X. Zhang, J. Wu, L. Fang, W.D. Willis (USA) 443
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia
J.A. Haythornthwaite, M.R. Clark, M. Pappagallo, S.N. Raja (USA) 453
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release
G. Juhasz, T. Zsombok, E.A. Modos, S. Olajos, B. Jakab, J. Nemeth, J. Szolcsanyi, J. Vitrai, G. Bagdy (Hungary) 461
Spatial summation of pressure pain: effect of body region
R. Defrin, A. Ronat, A. Ravid, C. Peretz (Israel) 471
The development of psychological changes following whiplash injury
M. Sterling, J. Kenardy, G. Jull, B. Vicenzino (Australia) 481
Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain
M. Zwick, D.C. Molliver, J. Lindsay, C.A. Fairbanks, T. Sengoku, K.M. Albers, B.M. Davis (USA) 491
Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia
S. Dolan, J.G. Kelly, A.M. Monteiro, A.M. Nolan (UK) 501

Clinical Update 513
Author Index to Volume 106 515
Subject Index to Volume 106 519
Contents to Volume 106 527